

Dr. Möller & Schmelz GmbH

Corporation for Applied Microbiology

Malachite green-Broth

Version: 07/2022

M&S item numbers: 5150 (25 x 50 ml, single concentrated)

5050 (4 x 100 ml in 250 ml bottles, double concentrated)

Color: Green

Storage: Dark and dry at 4 - 12 °C Shelf life: 3 months after production

Description and application range

Malachite green-Broth is used for enrichment and detection of *Pseudomonas aeruginosa* from water, mineral water and other samples (e.g. German mineral- and table water regulation). The complex composition of the broth enhances the growth of *Ps. aeruginosa*. Malachite green inhibits the development of accompanying bacteria. Furthermore, the incubation temperature of 37°C inhibits the growth of other *Pseudomonas* species. The medium is manufactured and quality tested in compliance with ISO 11133:2014 + Amd. 2:2020 standard.

Typical composition (single concentration)

Enzymatic digest of casein	5.0 g/l
Meat extract	3.0 g/l
Dipotassiumhydrogenphosphate	0.37 g/l
Malachite green	0.01 g/l

Final pH: 7.3 ± 0.2 at 25 °C

Microbiological quality control

Bacterial contamination

Incubation: aerobically at room temperature for 3 days, specification: no growth

Productivity qualitative analysis

Incubation: aerobically at 36 ± 2 °C for 44 ±4 h

Microorganism	Test strain	Specification	Appearance
Pseudomonas aeruginosa	WDCM 00024	Turbidity, color change, flower formation	Turbidity, color change from green to yellow, flower formation
Pseudomonas aeruginosa	WDCM 00025	Turbidity, color change, flower formation	Turbidity, color change from green to yellow, flower formation



Dr. Möller & Schmelz GmbH

Corporation for Applied Microbiology

Selectivity qualitative analysis

Incubation: aerobically at 36 ± 2 °C for 44 ± 4 h, approx. inoculum: 10,000 - 1,000,000 CFU

Microorganism	Test strain	Specification	Appearance
Escherichia coli	WDCM 00012	Full inhibition	Fully inhibited



Left side: positive control of *Pseudomonas aeruginosa* with color change and flower formation on top of the broth Right side: negative control inoculated with *Escherichia coli*