# Dr. Möller & Schmelz GmbH

# **Corporation for Applied Microbiology**

# **Chapman-NPS**

Version: 11/2022

M&S Item numbers: 1050 (50 / PK) und 1050-H (100 / PK)

Profile: Dehydrated nutrient pad sets 50 mm in petri dishes, sterile

Color: Beige, reddish after wetting

Storage: Dark and dry at room temperature

Shelf life: 2 years after sterilization

## **Description and application range**

Chapman-NPS are used for the detection of Staphylococci from food and other samples. The formulation is acc. to Chapman, modified. Due to the high concentration of sodium chloride only salt tolerant microorganisms are able to grow. Staphylococci can be differentiated by the usage of Mannitol and pigment formation. The medium is manufactured and quality tested in compliance with ISO 11133:2014 + Amd. 2:2020 standard.

### **Typical composition**

Enzymatic digest of casein	10.0 g/l
Enzymatic digest of gelatin	30.0 g/l
Yeast extract	2.5 g/l
Di-Potassiumhydrogenphosphate	5.0 g/l
Lactose	2.0 g/l
Mannitol	10.0 g/l
Sodium chloride	75.0 g/l
Phenol red	0.04 g/l

Final pH: 7.0 ± 0.2 at 25 °C

## Microbiological quality control

#### **Bacterial contamination**

Incubation: aerobically at room temperature for 3 days, specification: no growth

### **Productivity** quantitative analysis

Incubation: aerobically at 37 ± 1 °C for 44 ± 4 h, approx. inoculum: 50 - 120 CFU

Microorganism	Test strain	Specification	Appearance
Staphylococcus aureus	WDCM 00034	P <sub>R</sub> ≥ 0.5	Yellow with yellow halo
Staphylococcus saprophyticus	WDCM 00159	P <sub>R</sub> ≥ 0.5	Light yellow without halo

P<sub>R</sub> productivity rate (recovery rate)




# Dr. Möller & Schmelz GmbH

# **Corporation for Applied Microbiology**

## **Selectivity** qualitative analysis

Incubation: aerobically at 37  $\pm$  1 °C for 44  $\pm$  4 h, approx. inoculum: 10,000 – 1,000,000 CFU

Microorganism	Test strain	Specification	Appearance
Escherichia coli	WDCM 00012	Full inhibition	Fully inhibited



Pure culture of Staphylococcus aureus after 36 hours at 37 °C